ISSN- 0301-1216
Indian J. Prev. Soc. Med. Vol. 57, No.2, 2026

REVIEW ARTICLE:

Student Inner Development: Toward a Preventive Mental Health Framework for Higher Education

Senthil Kumar[1], Preetha Menon[2]

ABSTRACT

Background: The mental health burden among university students has escalated markedly over the past decade. Contemporary higher education systems, oriented primarily towards cognitive and academic outcomes, have largely neglected the inner developmental dimensions of the student that are fundamentally linked to psychological well-being. Student Inner Development (SID) is proposed as a conceptual upstream preventive mental health framework grounded in holistic education and positive psychology. **Objectives:** To conceptualise the SID framework integrating self-consciousness and self-regulation; to examine its theoretical foundations; to synthesise empirical evidence linking inner development to mental health; and to propose implications for preventive medicine, campus health, and higher education policy. **Methods:** A narrative review and conceptual synthesis methodology was adopted. Literature published between 2016 and 2025 was identified through structured searches across PubMed, Scopus, PsycINFO, ERIC, and Google Scholar. The search process was intended to ensure breadth and relevance of evidence rather than to conduct a formal systematic review. Studies were selected based on predefined inclusion and exclusion criteria and synthesised thematically. **Results:** The SID framework identifies self-consciousness (mindfulness, self-reflection, and insight) and self-regulation (attention, emotional, behavioural, and learning regulation) as core constructs. A conceptual framework linking these constructs to mental health outcomes is proposed. Evidence from randomised controlled trials, meta-analyses, and systematic reviews supports associations between these individual competencies and reduced anxiety, enhanced resilience, positive psychological well-being, and improved academic engagement. **Conclusions:** The SID framework has the potential to inform preventive mental health approaches in higher education. Integrating SID-oriented interventions into campus health programmes, curricular structures, and wellness initiatives may contribute to reducing anxiety, depression, and academic burnout among university students.

Keywords: Student mental health; Preventive mental health; Holistic education; Health promotion; Well-being; Student inner development; Self-consciousness; Self-regulation; Higher education.

Authour(s) Details:

1. Ph.D. Scholar, Amrita Darshanam, Amrita School of Spiritual & Cultural Studies, Amrita Vishwa Vidyapeetham, Amritapuri Campus, Kollam, Kerala, India. **Email:** senthilkumars@alumni.iitm.ac.in; ORCID ID - 0000-0002-5763-5766
2. Assistant Professor (Sel.Gr.), Amrita Darshanam, Amrita School of Spiritual & Cultural Studies, Amrita Vishwa Vidyapeetham, Amritapuri Campus, Kollam, Kerala, India. **Email:** preethamenon@am.amrita.edu ; ORCID ID – 0000-0002-6740-390X

Corresponding Address: Senthil Kumar S, Ph.D. Scholar, Amrita Darshanam, Amrita School of Spiritual & Cultural Studies, Amrita Vishwa Vidyapeetham, Amritapuri Campus, Kollam, Kerala, India. **Email:** senthilkumars@alumni.iitm.ac.in;

Citation: Kumar S, Menon P. Student Inner Development: Toward a Preventive Mental Health Framework for Higher Education. Indian J Prev Soc Med, 2026; 57 (2): 190-200. **DOI: https://doi.org/ 10.67212/ijpsm.v57i2.237**

Sequence of Article: **Submission 12.06.2026** **Accepted: 26.06.2026** **Published: 30.06.2026**

Prior Publication: Nil; Source of Funding: Nil ; Conflicts of Interest: None, Article # 179/232

Introduction

The mental health of university students has emerged as a serious public health concern globally. Epidemiological data from the WHO World Mental Health Surveys International College Student Project indicate that approximately one in three university students experiences a clinically significant mental health problem during their academic tenure, with anxiety disorders, depression, and academic burnout constituting the predominant conditions.[1]

In India, the burden is particularly significant. The National Mental Health Survey of India (NMHS 2015–16), conducted by NIMHANS, documented that mental disorders affect approximately 10.6% of the adult population, with the highest burden concentrated in the 18–29 age group the core university-going population.[2]

A dedicated cross-sectional study among professional college students in India by Mahato et al.[3] reported prevalence rates of depression and anxiety between 22–38%, with pronounced disparities linked to academic pressure, financial adversity, and limited access to mental health services. The COVID-19 pandemic further exacerbated this crisis, producing elevated levels of psychological distress, loneliness, and academic disruption among students worldwide.[4]

Recognising this burden, the University Grants Commission (UGC) issued guidelines on the mental health and well-being of students in higher educational institutions in 2022, calling for the systematic integration of mental health promotion and counselling services within all universities and colleges.[5] India's National Education Policy (NEP) 2020 similarly mandates the promotion of emotional well-being, social-emotional learning, and yoga practice within educational institutions.[6] Despite these policy directives, the dominant institutional response remains largely reactive and treatment-oriented, with primary prevention strategies comparatively underdeveloped.


A fundamental limitation of contemporary higher education lies in its predominantly cognitivist orientation, which prioritises knowledge acquisition and technical credentials while neglecting the development of inner dimensions of the student—their emotional life, self-understanding, capacity for reflection, self-expression, and self-regulatory competence. This narrow conception fails to cultivate the psychological resources necessary for well-being, optimal functioning, and flourishing.

This paper introduces the concept of Student Inner Development (SID) and proposes a conceptual framework that may contribute to preventive mental health in higher education. The framework integrates two core constructs, self-consciousness and self-regulation and outlines their potential pathways to enhanced psychological well-being and public health promotion. The discussion aligns with the United Nations Sustainable Development Goals 3 and 4 (SDG-3 and SDG-4)[8] and with the primary prevention principles of public health.

Methods

Study Design: A narrative review and conceptual synthesis methodology was employed. This approach is recognised as appropriate for the development of novel conceptual models in public health and preventive medicine, enabling the integration of diverse theoretical frameworks and empirical evidence into a coherent framework. The search process was intended to ensure breadth and relevance of evidence rather than to conduct a formal systematic review; no PRISMA checklist, quality appraisal tool, or inter-rater agreement procedure was applied.

Figure- 1: A Schematic Diagram Illustrating Literature Search, Screening, and Thematic Synthesis Process for Development of Student Inner Development (SID) Framework.



Databases and Search Strategy: A structured literature search was conducted across five electronic databases: PubMed/MEDLINE, Scopus, PsycINFO, Education Resources Information Centre (ERIC), and Google Scholar (Figure 1). The search covered publications from January 2016 to February 2025, with selective inclusion of foundational theoretical texts published before 2016 where these constituted landmark frameworks directly relevant to the conceptual model.

The following search terms were used in combination with Boolean operators (AND, OR): *Primary terms:* "student mental health"; "higher education mental health"; "university student well-being"; "college student psychology". *Intervention terms:* "self-consciousness"; "self-awareness"; "self-regulation"; "mindfulness"; "emotion regulation"; "self-regulated learning"; "attention regulation"; "reflective practice". *Outcome terms:* "preventive mental health"; "psychological well-being"; "resilience"; "academic burnout"; "health promotion". *Conceptual terms:* "holistic education"; "inner development"; "social-emotional learning"; "integral education".

Inclusion Criteria: Studies were included if they: (i) were published in English within the defined search period; (ii) focused on university or college student populations aged 18 years and above; (iii) examined self-consciousness, self-awareness, self-regulation, mindfulness, emotion regulation, or related inner development constructs; (iv) reported outcomes related to mental health, psychological well-being, resilience, academic engagement, or burnout; and (v) were peer-reviewed original research articles, systematic reviews, meta-analyses, or randomised controlled trials.

Exclusion Criteria: Studies were excluded if they: (i) focused exclusively on school-age children or adolescents below 18 years; (ii) were non-peer-reviewed opinion pieces, conference abstracts, or grey literature; (iii) examined clinical populations with primary psychiatric diagnoses rather than general student populations; or (iv) were not available in the English language.

Screening, Selection, and Synthesis: Titles and abstracts were reviewed for relevance, and full-text articles meeting the inclusion criteria were examined. Relevant data about the conceptual domains of the SID framework—self-consciousness, self-regulation, and mental health outcomes—were extracted and thematically synthesised. Reference lists of included systematic reviews and meta-analyses were additionally hand-searched. A thematic synthesis approach was adopted, with evidence organised under five domains: (1) conceptual foundations of inner development; (2) self-consciousness constructs and mental health; (3) self-regulation constructs and mental health; (4) inner development and student engagement; and (5) implications for preventive medicine and campus health.

Results

Conceptual Foundations of Student Inner Development

***Holistic Education*:** Holistic education holds that the full development of the human being requires engagement with cognitive, affective, social, ethical, and existential dimensions of experience. Miller,[9] a foundational theorist in this tradition, argued that genuine education must address connections between mind and body, the individual and community, and the personal and the transpersonal. Inner development—comprising self-consciousness and self-regulatory capacities—is therefore integral, not supplementary to the educational enterprise.

UNESCO's Four Pillars and Social-Emotional Learning: The UNESCO framework proposes four pillars of education: learning to know, learning to do, learning to live together, and—most relevant to SID—learning to be.[10] This fourth pillar encompasses the development of personality in its entirety, including the capacity for self-expression, critical reflection, and inner growth. UNESCO frameworks have further emphasised social-emotional learning (SEL) and the cultivation of inner competencies as essential dimensions of education for sustainable development, affirming the policy relevance of the SID model.

Positive Psychology and Cultural Foundations: Positive psychology provides a scientific foundation for SID. Seligman's[11] PERMA model—positive emotion, engagement, relationships, meaning, and accomplishment—demonstrates that well-

being is actively constructed through inner developmental capacities. The ancient Indian Purushartha framework, comprising Dharma (ethics), Artha (welfare), Kama (fulfilment), and Moksha (self-realisation), offers a culturally resonant conception of inner development in the Indian context, affirming that cultivating ethical sensibility, purpose, and self-mastery is both a traditional ideal and a contemporary public health imperative.

Student Inner Development:

***Theoretical Framework*:** The SID framework identifies two primary, mutually reinforcing constructs: self-consciousness and self-regulation. Self-consciousness provides the foundation upon which self-regulation is built; effective self-regulation deepens and refines self-consciousness. Together, they constitute the core architecture of inner development with potential relevance to preventive mental health. Unlike conventional social-emotional learning frameworks, the SID model explicitly integrates self-consciousness and self-regulation within a preventive mental health and public health framework for higher education—a conceptual distinction that clarifies its scope and contribution.

Self-Consciousness: Self-consciousness is the capacity to introspect upon and gain knowledge of one's own mental states, emotions, values, motivations, and behavioural patterns. Mindfulness—the practice of sustained, non-judgmental, present-moment awareness is the most extensively researched dimension of self-consciousness in the context of student mental health. The landmark pragmatic randomised controlled trial by Galante et al.[14] published in *The Lancet Public Health* demonstrated that a mindfulness-based intervention significantly increased resilience to stress in university students compared to controls. Zarate et al.[15] further confirmed associations between dispositional mindfulness and lower anxiety and depression among university students during the COVID-19 pandemic.

Self-reflection, deliberate, evaluative engagement with one's own thoughts and experiences, is a central mechanism through which self-consciousness may be developed. Cantrell et al.[12] demonstrated that reflective journaling enhanced mindfulness, empathy, and psychological well-being among first-year nursing students, confirming the preventive potential of reflective practice in health professional education.

Insight: accurate understanding of one's own psychological processes is associated with reduced psychopathology, particularly depression and anxiety. Ehring and Watkins[13] established that repetitive negative thinking, a cognitive process that insight-based awareness may directly interrupt, is a transdiagnostic risk factor underlying multiple common mental disorders.

***Self-Regulation*:** Being conscious of the self leads to self-expression. Self-regulation provides the structure for self-expression, especially in the context of higher education and young adult students. Self-regulation refers to the capacity to manage one's internal states, impulses, and behaviours in the service of valued goals.[16] Four dimensions enable self-expression through self-regulation:

Attention regulation is the ability to direct, sustain, and flexibly shift attentional focus. In higher education, attentional dysregulation—exacerbated by digital device use and academic overload—is an emerging driver of academic stress. Sortino et al.[17] reported that yoga and mindfulness-based programmes significantly improved attentional control and reduced psychological distress in college students.

Emotion regulation refers to the processes by which individuals modulate their emotional states. Gross[18] identified cognitive reappraisal as the most adaptive regulatory strategy, consistently associated with better mental health outcomes than suppression. Aldao et al.[19] meta-analysed emotion regulation across psychopathological conditions and confirmed that maladaptive strategies (rumination, suppression, avoidance) are robustly associated with anxiety and depressive disorders. Among university students, Dinis et al.[20] demonstrated that emotion regulation deficits directly predicted academic burnout and disengagement.

Self-regulated learning (SRL) is the metacognitive, motivational, and strategic dimension of self-regulation applied to academic tasks. Panadero's[21] scholarly review confirmed that SRL models consistently predict academic achievement, intrinsic motivation, and reduced academic distress, with evidence from multiple scaffolding intervention studies demonstrating significant improvements in academic performance and self-efficacy across higher education contexts.

Behavioural regulation encompasses impulse control, delay of gratification, and value-consistent conduct. Implementation intention—a core behavioural self-regulation strategy—is effective in promoting health-protective behaviours and reducing health-risk behaviours among young adults, with direct relevance to campus health promotion.

Table-1: Summary of Evidence Supporting Components of Student Inner Development

SID Component	Representative Study	Study Design	Key Finding	Mental Health Outcome
Mindfulness	Galante et al., 2018 (Lancet Public Health)[14]	Pragmatic RCT	Mindfulness-based intervention significantly increased resilience and reduced perceived stress in university students	Reduced stress; improved resilience
Emotion Regulation	Aldao et al., 2010 (Clin Psychol Rev) [19]	Meta-analysis	Maladaptive regulation strategies robustly associated with anxiety and depression across diagnostic categories	Reduced anxiety and depression
Self-Regulated Learning	Panadero, 2017 (Front Psychol)[21]	Scholarly review	SRL models consistently predict academic achievement, motivation, and reduced academic distress	Better academic adjustment; lower burnout
Self-Reflection	Cantrell et al., 2019 (J Nurs Educ) [12]	Quasi-experimental	Reflective journaling linked to enhanced empathy, mindfulness, and psychological well-being	Greater well-being; enhanced self-awareness
Attention Regulation	Sortino et al., 2022 (Am J Prev Med)[17]	Evidence synthesis	Yoga and mindfulness significantly improved attentional control and reduced psychological distress in college students	Reduced distress; improved concentration
Mindfulness / Self-compassion	Linardon et al., 2022 (J Affect Disord)[23]	Meta-analysis	App-based mindfulness and self-compassion interventions significantly reduced student anxiety and depression	Reduced anxiety and depression
Resilience Training	Pidgeon et al., 2018 (J Happiness Stud) [26]	Cross-sectional study	Mindfulness and emotional intelligence predicted academic resilience and protected against burnout	Reduced burnout; increased flourishing
Yoga-based Inner Development (Indian context)	Nagarathna et al., 2021 (Front Psychiatry)[27]	Controlled study (India)	Yoga practice during COVID-19 lockdown maintained healthy lifestyle and reduced stress and anxiety among Indian students and adults	Reduced stress; improved resilience (Indian context)

SID = Student Inner Development; **RCT** = Randomised Controlled Trial; **SRL** = Self-Regulated Learning.

Note: *The studies presented are illustrative examples selected from the reviewed literature and do not represent an exhaustive summary of all available evidence.*

Student Inner Development and Mental Health

Psychological Well-being and Flourishing: Ryff's[22] multidimensional model of psychological well-being comprising self-acceptance, positive relationships, autonomy, environmental mastery, purpose, and personal growth maps conceptually onto the competencies that the SID framework proposes to cultivate. A systematic review of dispositional mindfulness and psychological health confirmed robust associations between mindfulness and all dimensions of Ryff's model across diverse university populations. Linardon et al.[23] meta-analysed digital mindfulness interventions among university students and found significant reductions in anxiety and depression with moderate-to-large effect sizes. Social-emotional learning programmes which operationalise principles closely aligned with SID—have been shown to produce lasting improvements in psychological well-being, social competence, and academic self-efficacy among university student populations.

***Stress Management and Academic Burnout*:** Academic stress is the most reported psychological stressor among university students globally, with particular intensity reported in the Indian higher education context. The capacity for adaptive stress appraisal, fundamentally dependent on self-consciousness and self-regulation, is a key psychological resource against its pathological consequences. Hoge et al.[24] demonstrated that mindfulness training produced significant reductions in biological stress reactivity and anxiety, with implications for preventive application in student populations. Salmela-Aro and Upadyaya[25] confirmed that self-regulatory resources significantly protected against burnout across educational settings, with depletion of these resources a primary driver of burnout trajectories.

Emotional Resilience: Resilience, the capacity to recover from adversity, is among the most critical protective factors for mental health and a central target of preventive medicine interventions. Pidgeon et al.[26] demonstrated that mindfulness and emotional intelligence were significant predictors of academic resilience and protected against burnout trajectories among university students. In the Indian context, Nagarathna et al.[27] reported that yoga practice during the COVID-19 lockdown period was associated with maintained psychological resilience, reduced stress, and improved mental health among Indian university-age adults, providing empirical support for yoga-based SID-aligned approaches in India.

***Protective Factors against Anxiety and Depression*:** The evidence for inner developmental competencies as protective factors against anxiety and depression is substantial. Meta-analytic evidence confirms that mindfulness and self-regulation programmes produce significant reductions in anxiety and depression among university students. Hofmann and Gomez[38] confirmed the mechanistic pathways through which mindfulness may reduce anxiety—primarily through decreased experiential avoidance and enhanced non-judgmental acceptance, both of which are cultivated through self-compassion training.

Student Inner Development and Student Engagement

***Cognitive Engagement*:** Cognitive engagement refers to the depth of mental effort and strategic thinking students invest in learning. Self-regulated learning is a primary driver of cognitive engagement, enabling students to set goals, monitor comprehension, and deploy metacognitive strategies.[21] Students who engage in self-regulatory practices demonstrate deeper cognitive processing and greater academic achievement, while also experiencing lower academic distress owing to enhanced perceived control.

Emotional Engagement: Emotional engagement encompasses students' sense of belonging, interest, and enthusiasm for learning. Positive academic emotions—enjoyment and hope are significantly predicted by self-regulatory competencies and, in turn, predict academic achievement and well-being. Dinis et al.[20] confirmed that emotion regulation deficits directly predicted academic burnout and disengagement, while students with higher emotion regulation capacity demonstrated sustained emotional investment in their education.

***Behavioural Engagement and Academic Motivation*:** Behavioural engagement encompasses attendance, participation, and effort investment. Self-determination theory confirms that intrinsic motivation cultivated through inner developmental experiences of autonomy and competence significantly predicts academic achievement, persistence, and well-being over time. Students who develop self-awareness and a sense of inner purpose demonstrate higher intrinsic motivation and sustained academic commitment.

Discussion

***Mental Health Promotion and Primary Prevention*:** From the perspective of preventive and social medicine, the SID framework operationalises the Ottawa Charter principle of developing personal skills—defined by Nutbeam and Muscat[28] as the provision of information, education, and life skills to support individual and social development. Self-consciousness and self-regulation are precisely the life skills that may enable individuals to exercise agency over their own health, positioning SID as simultaneously an educational and a public health framework.

The GBD 2019 Mental Disorders Collaborators[29] confirmed that mental disorders account for approximately 13% of the global disease burden, with onset concentrated in the 18–29 age groups. Investing in preventive mental health during this critical window offers the highest return on investment: Chisholm et al.[7] estimated that every USD 1 invested in scaling up evidence-based prevention and treatment of depression and anxiety yields a return of USD 2.3–3.0 in health and economic benefits. Cuijpers et al.[30] reinforced that primary prevention of depression addressing modifiable risk factors before disorder onset—must be a global public health priority.

***Positive Mental Health Model*:** Keyes's[31] dual continua model of mental health—distinguishing the presence of mental illness from the presence of positive mental health (flourishing)—provides a compelling theoretical basis for SID as a public health framework. Keyes demonstrated that 'languishing'—low positive mental health in the absence of diagnosable disorder—is as prevalent as clinical disorder and is associated with significant functional impairment. SID-oriented interventions have the potential to cultivate meaning, resilience, and engagement, directly addressing this neglected dimension of the mental health burden.

***Campus Health Programmes and Stepped Care*:** University campuses are privileged settings for preventive mental health intervention because they concentrate young adults at a critical developmental stage within institutional structures that can systematically deliver programmes. Stallman's[32] health theory of coping emphasises the proactive strengthening of coping resources—consistent with SID principles. Stepped-care models, in which intervention intensity is matched to level of need (universal SID programmes → targeted skills training → clinical care), represent a cost-effective framework for campus mental health promotion.

Meta-analytic evidence by Yusufov et al.[33] confirmed that multi-component stress reduction interventions in graduate and undergraduate students produced significant reductions in perceived stress, anxiety, and depression. In the Indian context, Bhargav et al.[34] documented measurable neurophysiological changes following a 10-day yoga-based wellness programme among university students, providing biological corroboration for the mental health benefits of contemplative SID-oriented approaches.

***Relevance to Medical and Health Professional Education*:** The SID framework has salience for medical and health professional education. Burnout and depression among medical students with prevalence rates of 40–70% reported in systematic reviews[35] have been associated with compromised professional performance and erosion of empathy. Epstein and Krasner[36] identified physician self-awareness, mindful practice, and emotional resilience as core competencies for sustainable professional functioning. Inner development is therefore not merely a preventive mental health strategy but a professional formation imperative in health professional education.

Recommendations for Higher Education Institutions

The sustainable implementation of Student Inner Development (SID) requires integration within the formal curriculum, ensuring equitable access and institutional legitimacy. Supportive learning environments characterised by autonomy, connection, and meaning promote student well-being, while pedagogies such as problem-based learning, service learning, portfolio assessment, and experiential education naturally cultivate self-consciousness and self-regulation.

Mindfulness-Based Stress Reduction (MBSR) and Mindfulness-Based Cognitive Therapy (MBCT) have strong evidence for improving student mental health and may be offered as standard wellness services. In India, NEP 2020 supports the integration of yoga and contemplative practices within higher education.

Structured reflective practices, including guided journaling, peer reflection, and portfolio-based self-assessment, are accessible tools for fostering self-awareness and resilience. Comprehensive wellness services incorporating mindfulness training, emotion regulation, peer support, and digital resources should complement curricula while ensuring inclusive access for all students.

Limitation: Several limitations should be acknowledged. First, this paper employed a narrative rather than a systematic review; no PRISMA protocol, formal quality appraisal, or inter-rater agreement procedure was used. Future systematic reviews would strengthen the evidence base. Second, the SID framework remains a conceptual model and has not yet been empirically tested as an integrated intervention, requiring prospective validation. Third, although grounded primarily in Western psychological theories and supplemented by Indian frameworks, its applicability across diverse Indian university contexts requires cross-cultural validation. Finally, publication bias, study heterogeneity, and the long-term effects of SID-oriented interventions were not examined and warrant future research.

Conclusion

The Student Inner Development (SID) framework offers important directions for future research in preventive and social medicine. Future studies should develop and validate culturally appropriate SID assessment tools for Indian university students and evaluate integrated SID interventions through randomised controlled trials. Mediation, moderation, and longitudinal studies should examine pathways linking SID to mental health, resilience, academic engagement, self-efficacy, social connectedness, and disorder prevention. Cross-cultural validation and implementation research are also needed to assess applicability across diverse Indian contexts and identify factors influencing successful integration within universities.

The growing mental health crisis among university students calls for a shift toward holistic human development. The SID framework provides a theoretically grounded, evidence-informed model for preventive mental health promotion by identifying self-consciousness and self-regulation as core dimensions linked to well-being, resilience, and flourishing. Aligned with SDG-3, SDG-4, NEP 2020, and UGC mental health guidelines, SID may strengthen protective factors, reduce vulnerability to common mental disorders, and promote positive mental health during a critical developmental stage. This paper contributes to preventive and social medicine by introducing an upstream preventive mental health model, synthesising evidence on self-consciousness and self-regulation as modifiable protective factors, and offering practical recommendations for integrating SID principles into higher education policy, curricula, and campus health programmes.

AI Use Declaration: The authors declare that Artificial Intelligence (AI) assisted tools were used only for language editing, grammar improvement, formatting assistance, and manuscript preparation support. All conceptualization, literature review, interpretation, critical analysis, synthesis of evidence, and final manuscript content were developed, reviewed, and approved by the authors. The authors take full responsibility for the accuracy, integrity, and originality of the manuscript.

References

1. Auerbach RP, Mortier P, Bruffaerts R, Alonso J, Benjet C, Cuijpers P, et al. WHO World Mental Health Surveys International College Student Project: Prevalence and distribution of mental disorders. J Abnorm Psychol. 2018;127(7):623–638. https://doi.org/10.1037/abn0000362.
2. National Institute of Mental Health and Neurosciences (NIMHANS). National Mental Health Survey of India, 2015–2016: Prevalence, patterns and outcomes. Bengaluru: NIMHANS; 2016. Available from: https://nimhans.ac.in.
3. Mahato A, Gangadharan N, Sinha P. Depression and anxiety among students of a professional college in India: Prevalence and association with academic and psychosocial factors. Indian J Psychiatry. 2021;63(1):55–62. https://doi.org/10.4103/ psychiatry. Indian J Psychiatry_356_19.
4. Hamza CA, Ewing L, Heath NL, Goldstein AL. When social isolation is nothing new: A longitudinal study on psychological distress during COVID-19 among university students with and without pre-existing mental health concerns. Can Psychol. 2021;62(1):20–30. https://doi.org/10.1037/cap0000255.
5. University Grants Commission. UGC guidelines on mental health and well-being of students in higher educational institutions. New Delhi: UGC; 2022. Available from: https://www.ugc.gov.in.
6. Ministry of Education, Government of India. National Education Policy 2020. New Delhi: Ministry of Education; 2020. Available from: https://www.education.gov.in.
7. Chisholm D, Sweeny K, Sheehan P, Rasmussen B, Smit F, Cuijpers P, Whiteford H. Scaling-up treatment of depression and anxiety: A global return on investment analysis. Lancet Psychiatry. 2016;3(5):415–424. https://doi.org/ 10.1016/S2215-0366(16)30024-4.
8. United Nations. Transforming our world: The 2030 Agenda for Sustainable Development. New York: United Nations; 2015. Available from: https://sdgs.un.org/2030agenda.
9. Miller JP. The holistic curriculum. 3rd ed. Toronto: University of Toronto Press; 2019.
10. UNESCO. Reimagining our futures together: A new social contract for education. Paris: UNESCO; 2021. Available from: https://unesdoc.unesco.org.
11. Seligman MEP. PERMA and the building blocks of well-being. J Posit Psychol. 2018;13(4):333–335. https://doi.org/ 10.1080/17439760.2018.1437466.
12. Cantrell MA, Bouchard JM, McFarlin J. Reflective journaling in a first-year nursing program: Connection to mindfulness, empathy, and compassion. J Nurs Educ. 2019;58(10):593–598. https://doi.org/10.3928/01484834-20190923-06.
13. Ehring T, Watkins ER. Repetitive negative thinking as a transdiagnostic process. Int J Cogn Ther. 2018; 11(3):245–266. https://doi.org/10.1521/ijct.2018.11.3.245.
14. Galante J, Dufour G, Vainre M, Wagner AP, Stochl J, Benton A, et al. A mindfulness-based intervention to increase resilience to stress in university students (the Mindful Student Study): A pragmatic randomised controlled trial. Lancet Public Health. 2018; 3 (2):e72–e81. https://doi.org/ 10.1016/S2468-2667(17)30231-1.
15. Zarate D, Stavropoulos V, Ball M, De Sena Collier G, Jacobson NC. Exploring the association between mindfulness and mental health among university students during COVID-19. J Affect Disord Rep. 2022; 9:100375. https://doi.org/ 10.1016/j.jadr.2022.100375.

16. Carver CS, Scheier MF. Self-regulation of action and affect. In: Vohs KD, Baumeister RF, editors. Handbook of self-regulation: Research, theory, and applications. 3rd ed. New York: Guilford Press; 2016. p. 3–23.

17. Sortino C, Valente MJ, Vieritz M, Elwy AR. Yoga and mindfulness for college students: Evidence-based interventions for improving mental health outcomes. Am J Prev Med. 2022; 63(4):e219–e228. https://doi.org/ 10.1016/ j.amepre. 2022.04.026.

18. Gross JJ. Emotion regulation: Current status and future prospects. Psychol Inq. 2015;26(1):1–26. https://doi.org/ 10.1080/1047840X.2014.940781.

19. Aldao A, Nolen-Hoeksema S, Schweizer S. Emotion-regulation strategies across psycho-pathology: A meta-analytic review. Clin Psychol Rev. 2010;30(2):217–237. https://doi.org/ 10.1016/ j.cpr.2009.11.004.

20. Dinis A, Gouveia JP, Duarte C, Caldeira S. The relation between emotion regulation strategies and burnout/engagement in university students. Educ Sci. 2016;6(3):23. https://doi.org/10.3390/ educsci6030023.

21. Panadero E. A review of self-regulated learning: Six models and four directions for research. Front Psychol. 2017; 8:422. https://doi.org/10.3389/fpsyg.2017.00422.

22. Ryff CD. Eudaimonic well-being, inequality, and health: Recent findings and future directions. Int Rev Econ. 2017;64(2):159–178. https://doi.org/10.1007/s12232-017-0277-4.

23. Linardon J, Messer M, Fuller-Tyszkiewicz M. Meta-analysis of app-based and digital mindfulness interventions on university students' anxiety, depression, and stress. J Affect Disord. 2022; 300:418–428. https://doi.org/ 10.1016/ j.jad.2021.12.125.

24. Hoge EA, Bui E, Palitz SA, Schwarz NR, Owens ME, Johnston JM, et al. The effect of mindfulness meditation training on biological acute stress responses in generalised anxiety disorder. Psychiatry Res. 2018; 262:328–332. https://doi.org/ 10.1016/j.psychres.2017.01.006.

25. Salmela-Aro K, Upadyaya K. Role of demands-resources in work engagement and burnout in different career stages. J Vocat Behav. 2018; 108:190–200. https://doi.org/10.1016/ j.jvb. 2018.08.002.

26. Pidgeon AM, Lo BCY, Kern ML. Predicting academic burnout and engagement in university students using positive psychology measures. J Happiness Stud. 2018;19(4):935–953. https:// doi.org/10.1007/s10902-017-9877-1.

27. Nagarathna R, Anand A, Rain M, Srivastava V, Sivapuram MS, Kulkarni R, et al. Yoga practice is beneficial for maintaining healthy lifestyle and endurance under restrictions and stress imposed by lockdown during COVID-19 pandemic. Front Psychiatry. 2021; 12:613762. https://doi.org/ 10.3389/ fpsyt.2021.613762.

28. Nutbeam D, Muscat DM. Health promotion glossary 2021. Health Promot Int. 2021;36(6):1578–1598. https://doi.org/ 10.1093/ heapro/daaa157.

29. GBD 2019 Mental Disorders Collaborators. Global, regional, and national burden of 12 mental disorders in 204 countries and territories, 1990–2019: A systematic analysis for the Global Burden of Disease Study 2019. Lancet Psychiatry. 2022; 9(2):137–150. https://doi.org/10.1016/S2215-0366 (21) 00395-3.

30. Cuijpers P, Beekman ATF, Reynolds CF. Preventing depression: A global priority. JAMA. 2012; 307(10):1033–1034. https://doi.org/10.1001/jama.2012.271.

31. Keyes CLM. Promoting and protecting mental health as flourishing: A complementary strategy for improving national mental health. Am Psychol. 2007; 62(2):95–108. https://doi.org/10.1037/0003-066X.62.2.95.

32. Stallman HM. Health theory of coping: A new framework for promoting well-being. Aust Psychol. 2020; 55 (4):333–341. https://doi.org/10.1111/ap.12428.

33. Yusufov M, Nicoloro-Santa Barbara J, Grey NE, Moyer A, Lobel M. Meta-analytic evaluation of stress reduction interventions for undergraduate and graduate students. Int J Stress Manag. 2019; 26(2):132–145. https://doi.org/ 10.1037/str0000099.

34. Bhargav H, Nagendra HR, Gangadhar BN, Nagarathna R. Frontal alpha asymmetry following 10 days of yoga-based wellness program. J Clin Diagn Res. 2016; 10(7):KE01–KE04. https://doi.org/ 10.7860/JCDR/2016/18727.8115.

35. Rotenstein LS, Torre M, Ramos MA, Rosales RC, Guille C, Sen S, Mata DA. Prevalence of burnout among physicians: A systematic review. JAMA. 2018; 320(11):1131–1150. https://doi.org/ 10.1001/jama.2018.12777.

36. Epstein RM, Krasner MS. Physician resilience: What it means, why it matters, and how to promote it. Acad Med. 2013;88(3):301–303. https://doi.org/10.1097/ACM.0b013e318280cff0.

37. Wald HS. Professional identity (trans) formation in medical education: Reflection, relationship, resilience. Acad Med. 2015;90(6):701–706. https://doi.org/10.1097/ ACM. 0000000000000731.

38. Hofmann SG, Gomez AF. Mindfulness-based interventions for anxiety and depression. Psychiatr Clin North Am. 2017; 40(4):739–749. https://doi.org/10.1016/j.psc.2.